

GEDA® 300 ZP P

Particularly space-saving

Folding platform

Facilitates and accelerates regular inspection, maintenance and repair work

Robust, durable material hoist

Maintenance-friendly design

No machine room required

Break-off safety for flat cable as a standard

GEDA UNI-X-MAST System

Innovative flat cable system

Automatic lubrication device as a standard





GEDA 300 ZP P

Powerful, compact, foldable – the GEDA 300 ZP P combines all these features in one permanently installable transport platform. These platforms can be deployed to support the whole spectrum of warehousing and logistics functions as well as maintenance and repair operations on industrial plants.

The permanently-installed hoist reliably and safely transports up to 500 kg or 3 people upwards and downwards. Its lifting speed of 12 m/min in material and 9 m/min in people mode, along with its height of up to 50 m round off this solution. The benefits of the GEDA 300 ZP P become particularly clear when it has to be used in confined spaces, as thanks to the foldable platform and compact, robust design, it can be used virtually everywhere. Retrofitting on existing façades or to a scaffolding can be achieved with minimum effort, since no shaft, machine room or specific support construction is required.

Technical data:



500 kg
3 persons



50 m




9 m/min
12 m/min




**1.9 kW/400 V/
50 Hz/16 A**

Platform:



GEDA 300 ZP P platform A

1 loading ramp / 1 unloading ramp



Accessories:

For a wide range of
accessories visit:
www.geda.de



Landing level safety gate:

For every project
the suitable
landing level safety gate -
we are happy to advise you!